## **HUBBELL Power Systems**

# **Bus Support, Vertical, Aluminum Bolted**

By ANDERSON Catalog # AUDE123

Aluminum alloy bus support for vertical deadending aluminum tubing. Clamping bolts have hex stops for one wrench installation.



\*Representative Image

#### **Features**

- Bus Support, Aluminum Bolted, Vertical 1-1/4 IPS/EHIPS Tube to Insulator, 3 in BC
- Material: Castings 356-T6 aluminum alloy, Clamping hardware - aluminum alloy, Mounting hardware - galvanized steel

### General

EU RoHS Indicator No
Material Aluminum
Material - Clamping Hardware Aluminum Alloy
Material - Mounting Hardware Galvanized Steel
Number of Ground Braid Lug O

Holes

Type Tube to Insulator UPC 096359348863

## **Dimensions**

0 in Base Hole Spacing Diameter - Base Holes 0 in Diameter - Bolt 0 in Diameter - Bolt Circle 3 in Diameter - Inside 0 in Length - Coupling 0 in Length Before Compression 0 in Weight 2.646 lb

## **Electrical Ratings**

Maximum Current Rating Amps 0 Continuous

#### **Conductor Related**

Conductor Type Aluminum Bus

## **Product Assets**

Catalogs - Substation Connectors (SA)
Sales Drawings - C-4951 (AUDE Product Family)
Video - Hubbell Power Systems 3D Portal to help with
developing 3D models of substation connector products
Video - Hubbell Power Systems Quick Ship

