

**Bus Support, Aluminum Bolted**

By ANDERSON  
Catalog # [AUR145](#)

Aluminum alloy bus support for aluminum tubing. Caps may be rotated to provide slip-free or rigid clamping. Stainless steel static eliminator springs are standard. Clamping bolts have hex stops for one wrench installation. Cap screws are supplied for upright mounting.

**Features**

- 1-1/2 IPS/EHIPS Tube to Insulator, 5 in BC
- Caps may be rotated to provide slip-free or rigid clamping
- Stainless steel static eliminator springs are standard
- Clamping bolts have hex-stops for one-wrench installation
- Four Galv-Steel HH Bolts, lock washers and flat washers provided to mount to insulator cap.

**General**

Catalog Number	AUR145
EU RoHS Indicator	No
Material	Aluminum
Material - Clamping Hardware	Aluminum Alloy
Material - Mounting Hardware	Galvanized Steel
Number of Ground Braid Lug Holes	0
Type	Tube to Insulator
UPC	096359289654

**Dimensions**

Base Hole Spacing	0 in
Diameter - Base Holes	0 in
Diameter - Bolt	0 in
Diameter - Bolt Circle	5 in
Diameter - Inside	0 in



\*Representative Image

Length - Coupling	0 in
Length Before Compression	0 in
Weight	3.332 lb

**Electrical Ratings**

Maximum Current Rating Amps	0
Continuous	

**Conductor Related**

Conductor Type	Aluminum Bus
----------------	--------------

**Certifications And Compliance**

Buy America(n) Qualified	TAA Compliant (All status valid till December 2024)
--------------------------	---

**Logistics**

Pallet Quantity	180
-----------------	-----

**Product Assets**

- [Catalogs - Substation Connectors \(SA\)](#)
- [Sales Drawings - C-4244 \(AUR Product Family\)](#)
- [Specifications - AUR145](#)
- [Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products](#)
- [Video - Hubbell Power Systems Quick Ship](#)