

# **Bus Support, Aluminum Bolted**

By ANDERSON Catalog # AUR203

Bus Support, Aluminum Bolted, Slip-Fit or Rigid, 2 IPS/EHIPS Tube to Insulator, 3 in BC



\*Representative Image

# **Features**

- Caps may be rotated to provide slip-free or rigid clamping
- Stainless steel static eliminator springs are standard
- Clamping bolts have hex-stops for one-wrench installation
- Four Galv-Steel HH Bolts, lock washers and flat washers provided to mount to insulator cap.

# General

Aluminum
Aluminum Alloy
Galvanized Steel
Tube to Insulator
096359289661

#### **Dimensions**

Diameter - Bolt Circle 3 in

Dimensions 4.686 in x 1.859 in x 1.718 in

 Height
 1.718 in

 Length
 4.686 in

 Weight
 2.54 lb

 Width
 1.859 in

# **Conductor Related**

Conductor Type Aluminum Bus

Logistics

Pallet Quantity 216

# **Product Assets**

Catalogs - Substation Connectors (SA) Sales Drawings - CC-12926

Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products (VIO5050E0619)

Video - Hubbell Power Systems Quick Ship (VI05124E1018)