

# **Bus Support, Aluminum Bolted**

By ANDERSON Catalog # AUR345

Bus Support, Aluminum Bolted, Slip-Fit or Rigid, 3-1/2 IPS/EHIPS Tube to Insulator, 5 in BC



\*Representative Image

# **Features**

- Caps may be rotated to provide slip-free or rigid clamping
- Stainless steel static eliminator springs are standard
- Clamping bolts have hex-stops for one-wrench installation
- Four Galv-Steel HH Bolts, lock washers and flat washers provided to mount to insulator cap.

# General

Aluminum
Aluminum Alloy
Galvanized Steel
Tube to Insulator
096359289821

### **Dimensions**

Diameter - Bolt Circle 5 in

Dimensions 10.375 in x 6.813 in x 4 in

 Height
 4 in

 Length
 10.375 in

 Weight
 6.076 lb

 Width
 6.813 in

# **Conductor Related**

Conductor Type Aluminum Bus

Logistics

Pallet Quantity 72

# **Product Assets**

Catalogs - Substation Connectors (SA) Sales Drawings - C-4244

Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products (VIO5050E0619)

Video - Hubbell Power Systems Quick Ship (VI05124E1018)