# HUBBELL Power Systems

## **Quadrant Strain Clamp - Copper Substation Cable Bus**

By ANDERSON Catalog # BR1050C

Bronze quadrant strain clamps are primarily used for deadending copper substation cable bus. When installing, cable will slide freely under the U-bolts. If preferred, U-bolts may be removed and cable laid in clamp grooves from the side. The clamps are compact for greatest phase clearance.



- Bronze Quadrant Strain Clamp Deadend
- Clamping range: 250-19 Str. To 500MCM or 0.574"-0.813"
- ULT 15,000lbs
- Type BR1 is designed for single cable
- The Sag Eye Ultimate Strength is 60% of the Ultimate Body Strength without fitting
- Rated slip strength as a % of conductor RBS varies with conductor type, size, and stranding. Minimum slip strength rating on standard strength conductors is 40% RBS (Partial Tension). For many standard strength conductors, minimum slip strength of this clamp series is 60% RBS (Normal Tension). Consult factory for slip strength test data on specific clamp and conductor combinations
- Bolt and Nut may be substituted for clevis pin by adding suffix "BNK" to catalog number. Example: BR1050CBNK
- Bolt and clevis pin will be the same diameter
- The "C" suffix indicates the component will come supplied with clevis eye CA06

#### General

Bolt Installation Torque 480 in-lbs

(Recommended)
Catalog Number BR1050C
EU RoHS Indicator No
Fitting Type Clevis
Material - Body Bronze Alloy

Material - Hardware Galvanized Steel
Material - Keeper High Strength Bronze

Material - Pin (Cotter) Stainless Steel

Material - Socket and Clevis Galvanized Ductile Iron

Product Category Quadrant Strength Rating - Ultimate 10000 lb

Body



\*Representative Image

Style BR1
Type Bolted
U-Bolts 3 in

UPC 096359292234

#### **Dimensions**

Clamping - Maximum 0.813 in
Clamping - Minimum 0.574 in
Clevis Opening 0.9375 in
Diameter - Clevis Pin 0.625 in
Height 3.38 in
Length 8.88 in
Weight 8.7 lb

**Electrical Ratings** 

Voltage Application Standard

**Conductor Related** 

Clamping Range 0.574- 0.813

### **Certifications And Compliance**

Buy America(n) Qualified Contact Manufacturer Industry Standard(s) ANSI C119.4

Logistics

Pallet Quantity 81

#### **Product Assets**

Catalogs - Transmission Connectors Catalog - Full Literature - Ropes Course Industry Letter (April 2021) Specifications - BR1050C

Video - Bolted Deadend

