HUBBELL Power Systems

Quadrant Strain Clamp - Copper Substation Cable Bus

By ANDERSON Catalog # BR1100S

Bronze quadrant strain clamps are primarily used for deadending copper substation cable bus. When installing, cable will slide freely under the U-bolts. If preferred, U-bolts may be removed and cable laid in clamp grooves from the side. The clamps are compact for greatest phase clearance.

Features

- Bronze Quadrant Strain Clamp Deadend
- Clamping range: 500-1000MCM or 0.811"-1.152"
- ULT 15,000lbs
- Type BR1 is designed for single cable
- The Sag Eye Ultimate Strength is 60% of the Ultimate Body Strength without fitting
- Rated slip strength as a % of conductor RBS varies with conductor type, size, and stranding. Minimum slip strength rating on standard strength conductors is 40% RBS (Partial Tension). For many standard strength conductors, minimum slip strength of this clamp series is 60% RBS (Normal Tension). Consult factory for slip strength test data on specific clamp and conductor combinations
- Bolt and Nut may be substituted for clevis pin by adding suffix "BNK" to catalog number. Example: BR1100SBNK
- Bolt and clevis pin will be the same diameter
- The "S" suffix indicates the component will come supplied with socket eye SAO6

General

Bolt Installation Torque 480 in-lbs

(Recommended)

Catalog Number BR1100S
EU RoHS Indicator No
Fitting Type Socket
Material - Body Bronze Alloy
Material - Hardware Galvanized Steel
Material - Keeper High Strength Bronze

Material - Pin (Cotter) Stainless Steel

Material - Socket and Clevis Galvanized Ductile Iron

Product Category Quadrant Strength Rating - Ultimate 15000 lb

Body



*Representative Image

Style BR1
Type Bolted
U-Bolts 3 in

UPC 096359292272

Dimensions

Clamping - Maximum

Clamping - Minimum

Clevis Opening

Diameter - Clevis Pin

Height

Length

Weight

1.152 in

0.811 in

0.9375 in

0.625 in

3.88 in

9.13 in

Weight

Electrical Ratings

Voltage Application Standard

Conductor Related

Clamping Range 0.811- 1.152

Certifications And Compliance

Buy American Compliant Contact Manufacturer Industry Standard(s) ANSI C119.4

Logistics

Pallet Quantity 81

Product Assets

Catalogs - Transmission Connectors Catalog - Full Literature - Ropes Course Industry Letter (April 2021)

Specifications - BR1100S Video - Bolted Deadend

