HUBBELL Power Systems

Bus Support, Bronze Bolted

By ANDERSON Catalog # CSSB1005

Heavy duty, bronze alloy bus support for two copper cables or tubes. Cap screws are supplied for upright mounting. Material: Castings - bronze alloy, Clamping hardware - silicon bronze or stainless steel, Mounting hardware - galvanized steel.



Features

Cap screws are supplied for upright mounting

General

EU RoHS Indicator No
Material Bronze
Material - Clamping Hardware Silicon Bronze
Material - Mounting Hardware Galvanized Steel
Number of Ground Braid Lug 0

Holes

Type Bus Support, Cable or Tube to

Insulator

UPC 096359299400

Dimensions

Base Hole Spacing 0 in Diameter - Base Holes 0 in Diameter - Bolt 0 in Diameter - Bolt Circle 5 in Diameter - Inside 0 in Length - Coupling 0 in Length Before Compression 0 in Weight 5.978 lb

Electrical Ratings

Maximum Current Rating Amps 0 Continuous

Conductor Related

Conductor Diameter - 1.152 in

Maximum

Conductor Diameter - Minimum 1.031 in

Conductor Diameter Range 1.031 - 1.152

Conductor Type Copper

Product Assets

Catalogs - Substation Connectors (SA)
Sales Drawings - C-15178 (CSSB Product Family)
Video - Hubbell Power Systems 3D Portal to help with
developing 3D models of substation connector products
Video - Hubbell Power Systems Quick Ship

