

Stud Connector, Aluminum

By ANDERSON Catalog # DSATL2030G9012

"Bolted Expansion Stud Connectors, Connecting Aluminum Tubing to Copper Stud, Stud Dia./Thd.-3-1/2"-12, Tubing IPS-3", Material: Castings-Aluminum Alloy-Tube Clamping and Guide, Ball Bronze Alloy-Stud Clamping, Preformed Laminated Shunts-Copper (Tinned Contacts), Hardware-Stainless Steel and Galvanized Steel"



*Representative Image

Aluminum Bus

Dimensions

Angle - Stud to Conductor	90 °
Diameter - Stud	2 in
Weight	17.963 lb

Conductor Related

Conductor Type

Product Assets

Catalogs - Substation Connectors (SA) Sales Drawings - CC-4413 (DSATL Product Family) Video - Hubbell Power Systems 3D Portal to help with

developing 3D models of substation connector products (VI05050E0619)

Video - Hubbell Power Systems Quick Ship (VI05124E1018)

Features

• "To specify extra heavy (schedule 80 EHIPS) tubing, add "H" to catalog number. Example: DSATLH2030G9012"

General

EU RoHS Indicator	No
Material	Aluminum
Material - Clamping Hardware	Stainless Steel
Number of Stud Threads	12
Туре	Stud to Tube, Expansion
UPC	096359384588



©2024 Hubbell Incorporated. All rights reserved. AN-DSATL2030G9012-SPEC-EN | REV 1/2024