

## Stud Connector, Aluminum

By ANDERSON  
Catalog # [DSATL3224G12](#)

"Bolted Expansion Stud Connectors, Connecting Aluminum Tubing to Copper Stud, Stud Dia./Thd.-1-1/8"-12, Tubing IPS-2", Material: Castings-Aluminum Alloy-Tube Clamping and Guide, Ball Bronze Alloy-Stud Clamping, Preformed Laminated Shunts-Copper (Tinned Contacts), Hardware-Stainless Steel and Galvanized Steel"



\*Representative Image

### Features

- "To specify 90 degree connector, add "90" to catalog number. Example: DSATL3224G9012
- To specify extra heavy (schedule 80 EHIPS) tubing, add "H" to catalog number. Example: DSATLH3224G12"

### General

Material	Aluminum
Material - Clamping Hardware	Stainless Steel
Number of Stud Threads	12
Type	Stud to Tube, Expansion

### Dimensions

Angle - Stud to Conductor	180 °
Diameter - Stud	3.25 in
Weight	31.700 lb

### Conductor Related

Conductor Type	Aluminum Bus
----------------	--------------

### Product Assets

[Catalogs - Substation Connectors \(SA\)](#)

[Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products \(VI05050E0619\)](#)

[Video - Hubbell Power Systems Quick Ship \(VI05124E1018\)](#)