HUBBELL Power Systems

Stud Connector, Bronze

By ANDERSON Catalog # DSTF140690G12

"Braided Shunt Bolted Expansion Stud Connectors, Connecting Stud To Tube, Stud Dia./Thd.-3"-12,Tubing IPS-2", Material: Castings-Bronze Alloy, Factory formed Laminated Shunts-Copper (Tinned Contacts),Hardware-Stainless Steel or Silicon Bronze"



Features

0

General

Material	Bronze
Material - Clamping Hardware	Stainless Steel
Number of Ground Braid Lug	0
Holes	
Number of Stud Threads	12
Shunt Type	Braided Copper
Туре	Studs

Dimensions

Angle - Stud to Conductor	90 °
Base Hole Spacing	0 in
Diameter - Base Holes	0 in
Diameter - Bolt	0 in
Diameter - Inside	0 in
Diameter - Stud	1.5 in
Length - Coupling	0 in
Length Before Compression	0 in

Electrical Ratings

Maximum Current Rating Amps 0 Continuous

Conductor Related

Conductor Type

Copper Bus

Product Assets

Catalogs - Substation Connectors (SA) Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products Video - Hubbell Power Systems Quick Ship

