# HUBBELL Power Systems

# **Grounding Clamp**

By ANDERSON Catalog # GC11083D

Bronze alloy ground clamp for clamping one, two or three cables to rod or tube



\*Representative Image

# Features

"Everdur hardware supplied by adding Suffix "ED" e.g.GC11083DED"

# General

Bolt Installation Torque (Recommended) Catalog Number EU RoHS Indicator Material Material - Hardware UPC O ft-lbs GC11083D No Bronze Stainless Steel 096359350972

#### Dimensions

Diameter - Clamping Hardware2 inDiameter - Rod / Tube2 inDiameter - Rod / Tube Outside2.5 in

1.225 lb

# **Conductor Related**

Weight

| Conductor Diameter -         | 0.813 in      |
|------------------------------|---------------|
| Maximum                      |               |
| Conductor Diameter - Minimum | 0.574 in      |
| Conductor Diameter Range     | 0.574 - 0.813 |
| Conductor Type               | Copper        |

# **Certifications And Compliance**

Buy America(n) Qualified

#### **Product Assets**

Sales Drawings - C-2336 (GC-110 and AGC-110 Product Family) Specifications - GC11083D Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products Video - Hubbell Power Systems Quick Ship

Contact Manufacturer



©2025 Hubbell Incorporated. All rights reserved AN-GC11083D-SPEC-EN | REV 3/2025