

**Automatic Guy Wire Deadend,
3/16" EHS**

By ANDERSON
Catalog # [GDE5199](#)

Automatic Guy Wire Deadend, 3/16", HSS, EHS, Common,
Siemens-Martin, Utilities and Bell System Strand



Features

- Fargo GDE5200 Series Automatic deadends are designed for use on all grades of galvanized steel wire strand ... High Strength, Extra High Strength, Alumoweld®, Aluminized, Common, Siemens-Martin, Utilities and Bell System Strand.
- Innovative yoke design allows for installation without use of a gripping hook
- Use suffix "L" for long bail

General

Bail Option	Standard
Material	Aluminum Alloy; Steel
Material - Bail	Stainless Steel
Material - Jaw	HS Plated Steel
Material - Shell	High Strength Aluminum Alloy
Material - Yoke	Aluminum Alloy
Product Category	Guy Wire
Type	Automatic
UPC	096359529712

Dimensions

Nominal Guy Wire Size	3/16" 7 Strand
-----------------------	----------------

Conductor Related

Conductor Diameter - Maximum	0.188
Conductor Diameter - Minimum	0.174
Conductor Diameter Range	0.174 - 0.188

Logistics

Carton Quantity	50
Pallet Quantity	2400

Product Assets

[Catalogs - Distribution Connectors \(CA05127E\)](#)
[Catalogs - Communications Catalog \(CA12042E\)](#)
[Installation Manuals - GDE52xx Guy Wire Automatic Deadends - installation instructions](#)
[Literature - Ropes Course Industry Letter \(April 2021\)](#)
[Sales Drawings - GDE520x Sales Drawing](#)
[Sales Drawings - GDE51xx Sales Drawing](#)

