HUBBELL Power Systems

Automatic Guy Wire Deadend, 1/2" EHS

By ANDERSON Catalog # GDE5204

Automatic Guy Wire Deadend, 1/2", HSS, EHS, Common, Siemens-Martin, Utilities and Bell System Strand.



*Representative Image

Features

- Fargo GDE5200 Series Automatic deadends are designed for use on all grades of galvanized steel wire strand ... High Strength, Extra High Strength, Alumoweld®, Alumonized, Common, Siemens-Martin, Utilities and Bell System Strand.
- Innovative yoke design allows for installation without use of a gripping hook
- Use suffix "L" for long bail

General

Bail Option Standard
Catalog Number GDE5204

Material Aluminum Alloy; Steel

Material - Bail Stainless Steel
Material - Jaw HS Plated Steel

Material - Shell High Strength Aluminum Alloy

Material - Yoke Aluminum Alloy
Product Category Guy Wire
Type Automatic
UPC 096359501145

Dimensions

Nominal Guy Wire Size 1/2"

Conductor Related

Conductor Diameter - 0.519

Maximum

Conductor Diameter - Minimum 0.487 Conductor Diameter Range 0.487 - 0.519

Logistics

Pallet Quantity 480

Product Assets

Catalogs - Communications Catalog

Catalogs - Distribution Connectors

Installation Manuals - GDE52xx Guy Wire Automatic Deadends -

installation instructions

Literature - Ropes Course Industry Letter (April 2021)

Sales Drawings - GDE520x Sales Drawing Sales Drawings - GDE51xx Sales Drawing

