

# HUBBELL Power Systems

## Connector, Parallel Groove

By ANDERSON  
Catalog # [LC4025](#)

Two Center Bolt Bronze Parallel Groove Connector



\*Representative Image

### Features

For copper to copper conductor connectors

### General

Bolt Head Type	Hex
Bolt Installation Torque (Recommended)	0 ft-lbs
Catalog Number	LC4025
Cover Available	No
Inhibitor Loaded	No
Material	Bronze
Material - Body	Bronze
Material - Body Halves	Bronze Alloy
Material - Bolt	Silicon Bronze
Material - Bottom Member	Bronze Alloy
Material - Hardware	Silicon Bronze
Material - Hex Nut	Stainless Steel
Material - Keeper	Bronze
Material - Washer	Stainless Steel
Plating	No
Product Category	Mechanical Connectors
Style	Two Center Bolts
UPC	096359319535

### Dimensions

Bolt Diameter	0.5
Diameter - Bolt	0.5 in
Dimensions	2.812 in x 2.000 in x 2.250 in
Height	2.25 in
Length	2.812 in
Weight	1.372 lb
Width	2 in

### Conductor Related

Conductor Diameter (Main) - Maximum	0.528 in
Conductor Diameter (Main) - Minimum	0.204 in
Conductor Diameter (Main) Range	0.204 - 0.528
Conductor Diameter (Tap) - Maximum	0.528 in
Conductor Diameter (Tap) - Minimum	0.204 in
Conductor Diameter - Maximum	0.528
Conductor Diameter - Minimum	0.204
Conductor Diameter Range	0.204 - 0.528
Conductor Type	Copper

### Certifications And Compliance

UL Listed	No
-----------	----

### Logistics

Pallet Quantity	900
-----------------	-----

### Product Assets

[Catalogs - Distribution Connectors](#)



**A Hubbell brand**

©2024 Hubbell Incorporated. All rights reserved  
AN-LC4025-SPEC-EN | REV 6/2024