

# Tee, Bronze Bolted

By ANDERSON Catalog # T2CC100025

"Bolted Tees, Connecting Cable Main to Cable Tap, Cable Main-2/0 Sol.-800 MCM, Dia.- 0.365"-1.031", Cable Tap- 2/0 Sol.-800 MCM, Dia.- 0.365"-1.031", Material: Castings- Bronze Alloy, Hardware-Silicon Bronze or Stainless Steel"



## \*Representative Image

# Features

- "Tee for Connecting Copper Cable Main to Copper Cable Tap
- All sizes furnished with reversible cable caps"

#### General

No
Bronze
Stainless Steel
Tee, Bolted
096359328827

#### Dimensions

Weight

6.566 lb

Conductor Dia Maximum	meter (Main) -	1.152 in
Conductor Dia Minimum	meter (Main) -	0.46 in
Conductor Dia Range	meter (Main)	0.46 - 1.152
Conductor Dia Maximum	meter (Tap) -	0.575 in
Conductor Dia Minimum	meter (Tap) -	0.204 in
Conductor Dia Maximum	meter -	1.152 in
Conductor Dia Minimum	meter -	0.46 in
Conductor Dia	meter Range	0.46 - 1.152
Conductor Typ	e	Copper

## **Product Assets**

**Conductor Related** 

Catalogs - Substation Connectors (SA) Sales Drawings - C-4157-2 Sales Drawings - C-4157-1

Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products (VI05050E0619)

Video - Hubbell Power Systems Quick Ship (VI05124E1018)



©2024 Hubbell Incorporated. All rights reserved. AN-T2CC100025-SPEC-EN | REV 1/2024