


Tee, Bronze Bolted

By ANDERSON Catalog # T2HC2HC100100

"Bolted Tees, Connecting Cable Main to Cable Tap, Cable Main-4/0 Str.- 1000 MCM, Dia.- 0.460" -1.152", Cable Tap- 4/0 Str.- 1000 MCM, Dia.- 0.460" -1.152", Material: Castings- Bronze Alloy, Hardware-Silicon Bronze or Stainless Steel"



*Representative Image

Features

- "Tee for connecting two Copper Cable mains to two Copper Cable taps
- All sizes furnished with reversible caps"

General

EU RoHS Indicator	No
Material	Bronze
Material - Clamping Hardware	Stainless Steel
Туре	Tee, Bolted
UPC	096359328865

Dimensions

Weight 11.368 lb

Conductor Related

Conductor Diameter (Main) - Maximum	1.152 in
Conductor Diameter (Main) - Minimum	0.46 in
Conductor Diameter (Main) Range	0.46 - 1.152
Conductor Diameter (Tap) - Maximum	1.152 in
Conductor Diameter (Tap) - Minimum	0.46 in
Conductor Diameter - Maximum	1.152 in
Conductor Diameter - Minimum	0.46 in
Conductor Diameter Range	0.46 - 1.152
Conductor Type	Copper

Product Assets

Catalogs - Substation Connectors (SA)
Sales Drawings - CC-3080 (T2HC2HC Product Family)
Video - Hubbell Power Systems 3D Portal to help with
developing 3D models of substation connector products
(VI05050E0619)

Video - Hubbell Power Systems Quick Ship (VIO5124E1018)