

Tee, Bronze Bolted

By ANDERSON Catalog # TCC8080080

"Bolted Tees, Connecting Tubing Main to Tubing Tap at 15 degrees, Tubing Main-IPS/EHIPS-3-1/2", Tubing Tap-IPS/EHIPS-2-1/2", Material: Castings- Bronze Alloy, Hardware-Silicon Bronze or Stainless Steel"



*Representative Image

Features

- "Tee for Connecting Copper Cable Main to Copper Cable Tap
- All sizes furnished with reversible cable caps"

General

Material Material - Clamping Hardware Number of Ground Braid Lug Holes	Bronze Stainless Steel O			
Type	Bolted Tees			
UPC	096359330998			
Dimensions				

Base Hole Spacing	0 in
Diameter - Base Holes	0 in
Diameter - Bolt	0 in
Diameter - Inside	0 in
Length - Coupling	0 in
Length Before Compression	0 in
Weight	4.508 lk

Electrical Ratings

Maximum Current Rating	Ο
Amps Continuous	

Conductor Related

Conductor Diameter (Main) - Maximum	1.031 in
Conductor Diameter (Main) - Minimum	0.365 in
Conductor Diameter (Main) Range	0.365 - 1.031
Conductor Diameter (Tap) - Maximum	1.031 in
Conductor Diameter (Tap) - Minimum	0.365 in
Conductor Diameter - Maximum	1.031 in
Conductor Diameter - Minimum	0.365 in
Conductor Diameter Range Conductor Type	0.365 - 1.031 Copper

Logistics

Pallet Quantity 252

Product Assets

Catalogs - Substation Connectors (SA)

Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products (VIO5050E0619)

Video - Hubbell Power Systems Quick Ship (VIO5124E1018)