

Bronze Bolted Tap Lug Terminal

By ANDERSON
Catalog # [TLD92L](#)



Bronze alloy terminal for connecting one or two copper cables directly to a flat copper pad. Recommended for power or grounding applications. Material: Castings-Bronze alloy, Eyebolt-High strength bronze, Hardware-Stainless steel; For copper cable connection to aluminum bus bar, specify tin-plated terminal with Belleville spring washer by adding suffix TPBW to catalog number.

Features

- "Recommended for power or grounding applications
- can be tandem mounted side by side on NEMA 1-3/4" hole centers drilled for 1/2" bolts
- Tin plating will be supplied
- For copper cable connection to aluminum bus bar, specify tin-plated terminal with Belleville spring washer by adding suffix TPBW to catalog number, Example: TLD92LTPBW"

General

Catalog Number	TLD92L
EU RoHS Indicator	No
Material	Bronze
Material - Clamping Hardware	Stainless Steel
Number of Ground Braid Lug Holes	0
Type	Tap Lug
UPC	096359331551

Dimensions

Base Hole Spacing	0 in
Diameter - Base Holes	0 in
Diameter - Bolt	0 in
Diameter - Inside	0 in
Length - Coupling	0 in
Length Before Compression	0 in

Thickness - Mounting Pad Maximum	0.75 in
Weight	2.94 lb

Electrical Ratings

Maximum Current Rating Amps Continuous	0
--	---

Conductor Related

Conductor Diameter - Maximum	1.412 in
Conductor Diameter - Minimum	1.152 in
Conductor Diameter Range	1.152 - 1.412
Conductor Type	Copper

Certifications And Compliance

Buy America(n) Qualified	Contact Manufacturer
--------------------------	----------------------

Product Assets

- [Catalogs - Substation Connectors \(SA\)](#)
- [Sales Drawings - C-2618 \(TLD and TLS Product Families\)](#)
- [Specifications - TLD92L](#)
- [Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products](#)
- [Video - Hubbell Power Systems Quick Ship](#)