HUBBELL Power Systems

Tee, Bronze Bolted, Tubing Main to Two Cable Tap

By ANDERSON Catalog # TT2C20050

Bronze alloy tee for connecting copper tubing main to two copper cable taps. Clamping bolts have hex-stops for onewrench installation. All cable taps furnished with reversible cable caps. Material: Castings - bronze alloy, hardware - silicon bronze or stainless steel.

Features

- "Tee for Connecting Copper Tubing Main to Two Copper Cable Taps
- All cable taps furnished with reversible cable caps
- hex-stops for one-wrench installation"

General

EU RoHS Indicator	No
Material	Bronze
Material - Clamping Hardware	Stainless Steel
Number of Ground Braid Lug	0
Holes	
Туре	Tee, Bolted
UPC	096359332435
Туре	

Dimensions

Base Hole Spacing	0 in
Diameter - Base Holes	0 in
Diameter - Bolt	0 in
Diameter - Inside	0 in
Length - Coupling	0 in
Length Before Compression	0 in
Weight	7.742 lb

Electrical Ratings

Maximum Current Rating Amps 0 Continuous



Conductor Related

Conductor Diameter (Tap) -	0.813 in
Maximum	
Conductor Diameter (Tap) -	0.325 in
Minimum	
Conductor Type	Copper Bus
	Copper

Product Assets

Catalogs - Substation Connectors (SA) Sales Drawings - C-4172 (TT2C Product Family) Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products Video - Hubbell Power Systems Quick Ship



©2024 Hubbell Incorporated. All rights reserved AN-TT2C20050-SPEC-EN | REV 6/2024