

Terminal, Aluminum Weldment

By ANDERSON
Catalog # [W2CF129D](#)

"Weldment Terminal, connecting two Cable to Flat, 4-hole Pad, Angle 90°, Conductor Range: 1.263"-1.315", Material: Castings-Aluminum Alloy"



*Representative Image

Features

- "90° angle connectors may be obtained by specifying desired angle"

General

EU RoHS Indicator	No
Material	Aluminum
Number of Bolt Holes	4
Number of Pad Holes	4
Type	Terminal, Aluminum Weldment
UPC	096359353126

Dimensions

Angle - Pad	180 °
Weight	2.646 lb
Width - Pad	4 in

Conductor Related

Conductor Compatibility	ACSR-Ortolan-1033.5-45/7; ACSR-Curlew-1033.5-54/7; AAC-Marigold-1113-61
Conductor Diameter - Maximum	1.245 in
Conductor Diameter - Minimum	1.209 in
Conductor Diameter Range	1.209 - 1.245
Conductor Type	<ul style="list-style-type: none">• AAC• ACSR

Product Assets

[Catalogs - Substation Connectors \(SA\)](#)

[Sales Drawings - C-5257 \(W2CF Product Family\)](#)

[Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products \(VI05050E0619\)](#)

[Video - Hubbell Power Systems Quick Ship \(VI05124E1018\)](#)