

Terminal, Aluminum Weldment

By ANDERSON
Catalog # [W2CF97C](#)

"Weldment Terminal, connecting Cable to Flat, 4-hole Pad, Conductor Range: 1.209"-1.245", Material: Castings-Aluminum Alloy"



*Representative Image

Features

- "90° angle connectors may be obtained by specifying desired angle"

General

EU RoHS Indicator	No
Material	Aluminum
Number of Bolt Holes	4
Number of Pad Holes	4
Type	Terminal, Aluminum Weldment
UPC	096359340201

Dimensions

Angle - Pad	180 °
Weight	1.078 lb
Width - Pad	3 in

Conductor Related

Conductor Compatibility	ACSR-Parakeet-556.5-24/7; ACSR-Dove-556.5-26/7; ACSR-Swift-636-36/1; AAC-Meadowsweet-600-37; AAC-Orchid-636-37
Conductor Diameter - Maximum	0.93 in
Conductor Diameter - Minimum	0.891 in
Conductor Diameter Range	0.891 - 0.93
Conductor Type	<ul style="list-style-type: none">• AAC• ACSR

Product Assets

[Catalogs - Substation Connectors \(SA\)](#)

[Sales Drawings - C-5257 \(W2CF Product Family\)](#)

[Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products \(VI05050E0619\)](#)

[Video - Hubbell Power Systems Quick Ship \(VI05124E1018\)](#)