

Terminal, Aluminum Weldment

By ANDERSON
Catalog # [WCF72B2](#)

"Weldment Expansion Terminal, Tube to Flat, 4-hole Pad, Straight, Conductor size tubing IPS:4", Material: Castings-Aluminum alloy, Factory formed laminated shunt- Aluminum"



*Representative Image

Features

- "90° angle connectors may be obtained by specifying desired angle"

General

EU RoHS Indicator	No
Material	Aluminum
Number of Bolt Holes	2
Number of Pad Holes	2
Type	Terminal, Aluminum Weldment
UPC	096359340720

Dimensions

Angle - Pad	180 °
Weight	0.686 lb
Width - Pad	2 in

Conductor Related

Conductor Compatibility	ACSR-Ostrich-300-26/7;ACSR-Merlin-336.4-18/1;AAC-Tulip-336.1-19;AAC-Daffodil-350-19
Conductor Diameter - Maximum	0.684 in
Conductor Diameter - Minimum	0.666 in
Conductor Diameter Range	0.666 - 0.684
Conductor Type	<ul style="list-style-type: none">• AAC• ACSR

Product Assets

[Catalogs - Substation Connectors \(SA\)](#)

[Sales Drawings - C-1419 \(WCF Product Family\)](#)

[Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products \(VI05050E0619\)](#)

[Video - Hubbell Power Systems Quick Ship \(VI05124E1018\)](#)