

Terminal, Aluminum Weldment

By ANDERSON Catalog # WCF72C

"Weldment Expansion Terminal, Tube to Flat, 4-hole Pad, Straight, Conductor size tubing IPS:4", Material: Castings-Aluminum alloy, Factory formed laminated shunt- Aluminum"



*Representative Image

• "45° & 90° angle connectors may be obtained by specifying desired angle"

General

Features

EU RoHS Indicator	No
Material	Aluminum
Number of Bolt Holes	4
Number of Pad Holes	4
Туре	Terminal, Aluminum Weldment
UPC	096359340744

Dimensions

Angle - Pad Weight Width - Pad

180 ° 0.882 lb 3 in

Conductor Related

Conductor Compatibility	ACSR-Ostrich-300- 26/7;ACSR-Merlin-336.4- 18/1;AAC-Tulip-336.1-19;AAC- Daffodil-350-19
	Darrodii-350-19
Conductor Diameter - Maximum	0.684 in
Conductor Diameter - Minimum	0.666 in
Conductor Diameter Range	0.666 - 0.684
Conductor Type	• AAC
	• ACSR

Product Assets

Catalogs - Substation Connectors (SA) Sales Drawings - C-1419 (WCF Product Family) Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products (VI05050E0619)

Video - Hubbell Power Systems Quick Ship (VI05124E1018)

