

Terminal, Aluminum Weldment

By ANDERSON
Catalog # [WSTF24B2CF](#)

Terminal, Field Welding Installation, Aluminum Casting, Tube to Flat Pad, 2.5" IPS Aluminum Tube, 2-hole NEMA B2 size Pad (2 in. x 3 in.), Center Formed Pad



*Representative Image

Features

- Contact sealant is recommended for contact pad after welding
- Center formed pads may be obtained by adding suffix-CF to the catalog number
- 45 & 90 degree pad angles may be obtained by specifying desired angle

General

EU RoHS Indicator	No
Material	Aluminum
Number of Pad Holes	2
Type	Terminal, Aluminum Weldment
UPC	096359504733

Dimensions

Angle - Pad	180 °
Diameter - Rod / Tube	2-1/2 in
Diameter - Rod / Tube Outside	2.875 in
Weight	1.372 lb
Width - Pad	2 in

Electrical Ratings

Maximum Current Rating Amps Continuous	Contact Hubbell Tech Advisor
-------------------------------------------	------------------------------

Conductor Related

Conductor Type	Aluminum Bus
----------------	--------------

Product Assets

[Catalogs - Substation Connectors \(SA\)](#)
[Sales Drawings - C-1291 \(WSTF Product Family\)](#)
[Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products \(VI05050E0619\)](#)
[Video - Hubbell Power Systems Quick Ship \(VI05124E1018\)](#)