

Terminal, Aluminum Weldment

By ANDERSON Catalog # WSTF24D

Terminal, Field Welding Installation, Aluminum Casting, Tube to Flat Pad, 2.5" IPS Aluminum Tube, 4-hole NEMA D size Pad (4 in. x 4 in.)



Features

- Contact sealant is recommended for contact pad after welding
- Center formed pads may be obtained by adding suffix-CF to the catalog number
- 45 & 90 degree pad angles may be obtained by specifying desired angle

General

EU RoHS Indicator No

Material Aluminum

Number of Pad Holes 4

Type Terminal, Aluminum

Weldment

UPC 096359342106

Dimensions

Angle - Pad 180 °
Diameter - Rod / Tube 2-1/2 in
Diameter - Rod / Tube 2.875 in

Outside

Weight 1.960 lb Width - Pad 4 in

Electrical Ratings

Maximum Current Rating Contact Hubbell Tech Advisor Amps Continuous

Conductor Related

Conductor Type Aluminum Bus

Product Assets

Catalogs - Substation Connectors (SA) Sales Drawings - C-1291 (WSTF Product Family)

Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products (VIO5050E0619)

Video - Hubbell Power Systems Quick Ship (VIO5124E1018)