HUBBELL Power Systems

Bus Support, Vertical, Aluminum Welded, Tube to Insulator

By ANDERSON Catalog # WUDE303

Aluminum alloy, vertical weldment bus support for tubing. Cap screws are supplied for upright mounting. Material: castings -356-T6 aluminum alloy, hardware - galvanized steel.



Features

- For vertical deadending aluminum tubing
- Four Galv-Steel HH Bolts, lock washers and flat washers provided to mount to insulator cap.

General

EU RoHS Indicator	No
Material	Aluminum
Material - Mounting Hardware	Galvanized Steel
Number of Ground Braid Lug	0
Holes	
Туре	Tube to Insulator
UPC	096359353669

Dimensions

Base Hole Spacing	0 in
Diameter - Base Holes	0 in
Diameter - Bolt	0 in
Diameter - Bolt Circle	3 in
Diameter - Inside	0 in
Length - Coupling	0 in
Length Before Compression	0 in
Weight	2.646 lb

Electrical Ratings

Maximum Current Rating Amps 0 Continuous

Conductor Related

Conductor Type

Aluminum Bus

Product Assets

Catalogs - Substation Connectors (SA) Sales Drawings - C-5509 (WUDE Product Family) Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products Video - Hubbell Power Systems Quick Ship



HUBBELL A Hubbell brand