austdac[®]

RED ALERT® Compact VolP Handsfree Telephone

Bv Austdac Catalog # 397-711FS

GAI-TRONICS' Compact RED ALERT® Hands-free VoIP Flushmount Telephones are designed to provide direct point-to-point communications between personnel throughout a facility over an existing internet protocol LAN. The VoIP telephones are intended for connection to a 10/100 BaseT Ethernet and operate using power-over-Ethernet or an alternative power source. The VoIP telephone features real-time alarm reporting that enables system supervisors to monitor the phone's activity and address callers needs or maintenance issues immediately.

Features

- Power Over Ethernet or Alternative 24-48 V dc Supply
- SIP Compatible
- Four Inputs and Two Outputs Per Phone
- Auto Answer
- Multicast Capable (Up to 8 Addresses)

Application

- Rehabilitation Centers
- Correctional Facilities
- Mental Health Facilities

General

Catalog Number 397-711FS Color Silver Connectivity Options VoIP

Construction Front Panel: 14-Gauge Type

304 Brushed Stainless Steel; Dust Cover: 16-Gauge Cold-Rolled Steel With Black Polyurethane Finish

Mount location Flush-Mount

Operating Temperature -4°F to +131°F / -20°C to +55

°C

VoIP - SIP Signal Type Specifications UL/CSA, FCC Storage Temperature Range -40° C to +70° C

Temperature Rating -4°F to +131°F (-20°C to +55°C)

Type • Emergency Telephones

• Compact Telephones



- Assistance Telephones
- Behavioral Health Telephones

Dimensions

Dimensions 8.5 in x 6.5 in x 2.37 in

2.37 in Height 8.5 in Length Weight 5 lb 6.5 in Width

Electrical Ratings

Ethernet

Voltage Rating Description 24-48 VDC or PoE

Certifications And Compliance

Certification UL/CSA/FCC Certified Listed UL/CSA/FCC Compliance FCC CRF 47 Part 15

Product Assets

Brochures - Red Alert Telephone Brochure

Configuration Guide - VoIP Telephone Basic Configuration Guide Configuration Guide - VoIP Telephone Configuration Guide: Firmware versions 1193 Telephones (v1.08); 1201 Telephones for Auteldac 6 (v1.08)

Literature - Compact Emergency Hands-free Telephones -

Models 397-700FS, 397-701FS, 398-701FS

Specifications - 397-711FS

