

BBB14410D, Bare Copper Busbar, 10" Long, 4" Wide, 22 Holes

By Burndy Catalog # BBB14410D

Copper busbar is used in a variety of applications. Can be used as a common ground point and can also be used in "power" applications as well.



Copper busbar is used in a variety of applications. UL Listed for grounding. Can be used as a common ground point and can also be used in "power" applications as well.

General

Catalog Number	BBB14410D
Material	Copper
Physical Attribute - Number of	22

Holes

UPC 781810489345 UPC 12 Digit 7818104893455

Dimensions

Dimension - Bar Length inch	10 in
Dimension - Bar Length mm	254 mm
Dimension - Bar Thickness inch	0.25 in
Dimension - Bar Thickness mm	6 mm
Dimension - Bar Width inch	4 in
Dimension - Bar Width mm	102 mm
Dimension - Hole Size inch	0.44 in
Dimension - Hole Size mm	11 mm
Dimension - Width fraction	4 in
Dimension - Width inch	4.00 in

Certifications And Compliance



Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	Yes
Standards - RoHS Compliance	CM
Status	
UL Listed	No

Logistics

Carton Quantity	1
Minimum Pack Quantity	1
Pallet Quantity	90

Product Assets

Sales Drawings - 10103867 Specifications - BBB14410D

3D Models - BBB14410D_MODEL-PDF	
3D Models - BBB14410D_MODEL-IGES	
3D Models - BBB14410D_MODEL-STEP	
Brochures - Grounding Busbars - Complete Product Guide	
Catalogs - BURNDY Master Catalog - Section E2 - Mechanical	
Grounding	
Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog)C
Interactive Catalog - BURNDY Full-Line Digital Catalog	
Product Cross Section Image(s) - BUR_BBB_LineArt	

