BDBMCS5FA, Flex Rated Power Distribution Block Adder

By Burndy
Catalog # BDBMCS5FA

Distribution block, 4 AWG-500 KcmilAWG (Run), 14-2 AWG (Tap).

Application

VERSI-POLE Power Distribution Blocks are designed to provide modular solutions to power distribution applications.

General

Catalog Number	BDBMCS5FA
Connector Type	Power Distribution Block
EU RoHS Indicator	Yes
Insulation	Y
Material	Aluminum
Plated	Y
Plating Type	Tin
Sub Brand	VERSI-POLE
Temperature Rating	194
Trade Name	VERSIPOLE™
Type	BDC
UPC	621945448865
UPC 12 Digit	6219454488655

Dimensions

Dimension - Height mm	0 mm

Electrical Ratings

Rating - Minimum Voltage	600
Voltage - Maximum	600 V

Conductor Related

Conductor Type	• AL C Str-Run • CU C Str-Run • AL C Str-Tap • CU C Str-Tap

Certifications And Compliance

Buy American Compliant	Yes
Certification - CSA Approved	No
Certification - cULus	Yes
Standards - RoHS Compliance Status	CM

Logistics

Carton Quantity	1
Minimum Pack Quantity	1
Pallet Quantity	1215

Product Assets

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog
Customer Notices - Prop 65 Notice
Installation Manuals - 50130772 - Adder Instructions
Interactive Catalog - BURNDY Full-Line Digital Catalog
Sales Drawings - 50063030
Specifications - BDBMCS5FA