



BDBMCS5M1FS, 1-Pole Flex Rated Finger-Safe Power Distribution Block

By Burndy
Catalog # [BDBMCS5M1FS](#)



POWER DISTRIBUTION BLOCKS, 1 POLE AL9CU, RUN:(1) 500-4
TAP:(4) 2/0-14.

Application

The VERSIPOLE Configurable Series Power Distribution Blocks are used for splicing and distributing power from primary run(s) to secondary/branch circuits.

General

Catalog Number	BDBMCS5M1FS
Connector Type	Power Distribution Block
EU RoHS Indicator	Yes
Insulation	Y
Material	Aluminum
Number Of Poles	1
Plated	Y
Plating Type	Tin
Temperature Rating	194
Trade Name	VERSIPOLE™
Type	Power Distribution Blocks
UPC	781810676462
UPC 12 Digit	7818106764622

Dimensions

Dimensions	5.71 in x 2.09 in x 4.52 in
Height	4.52 in
Length	5.71 in
Width	2.09 in

Electrical Ratings

Amperage Rating	380
Rating - Minimum Voltage	600
Voltage - Maximum	600 V
Voltage Rating	1000 V

Conductor Related

Conductor Type	<ul style="list-style-type: none">• AL C Str-Run• CU C Str-Run• AL C Str-Tap• CU C Str-Tap
----------------	---

Certifications And Compliance

Buy American Compliant	Contact Manufacturer
Certification - CSA Approved	No
Certification - cULus	Yes
Standards - RoHS Compliance	CM
Status	

Logistics

Carton Quantity	1
Minimum Pack Quantity	1
Pallet Quantity	1215

Product Assets

- [Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog](#)
- [Customer Notices - Prop 65 Notice](#)
- [Interactive Catalog - BURNDY Full-Line Digital Catalog](#)
- [Sales Drawings - 50081547](#)
- [Specifications - BDBMCS5M1FS](#)