BE12 Copper Braid, 12″ Long, 1 Braid, 2 Holes 2 Ferrules, 7/16″ Stud, 1-1/2″ Stud Hole Spacing, 340 amps Indoor, 405 amps Outdoor

By Burndy
Catalog # BE12

Copper Braid, 12″ Long, 1 Braid, 2 Holes 2 Ferrules, 7/16″ Stud, 1-1/2″ Stud Hole Spacing, 340 amps Indoor, 405 amps Outdoor.

Features

- Most Burndy braid are UL Listed and CSA Certified
- Pressed seamless copper ferrules provide added durability and prevent fraying, providing extra strength for a robust bonding connection
- Braid is especially suited for applications that require flexibility or resistance to vibration
- Extra fine stranding gives enhanced flexibility
- Ferrules clearly marked with Burndy braid type and UL markings (where appropriate)
- Available in custom lengths and hole sizes to suit your needs (contact your local sales representative for non-standard configurations)
- For assistance in finding the perfect braid for your needs click here for our Braid Configurator Tool: www.hubbell.com/config/BRAID

Application

Flexible copper braid jumpers designed to take up linear expansion and contraction

General

Catalog Number	BE12
Connector Type	Braid
EU RoHS Indicator	Yes
Material	Copper
Material - Ferrules	Y
Physical Attribute - Number of Braids	1
Plated	Y
Sub Brand	BRAID
Type	B, Flexible
UPC	781810807019
UPC 12 Digit	7818108070199

Dimensions

Dimension - D inch	3.00 in
Dimension - Hole Size inch	0.44 in
Dimension - L Length Overall mm	305 mm
Dimension - Length Overall inch	12.00 in
Dimension - N inch	0.75 in
Dimension - Pad Width inch	1.50 in
Length	12 in

Electrical Ratings

Rating - Indoor Amperage	340
Rating - Outdoor Amperage	405

Certifications And Compliance

Buy American Compliant	No
Certification - CSA Approved	Yes
Certification - ETL	No
Certification - UL Listed Direct Burial	No
Certification - UL Recognized	No
Certification - cULus	No
Industry Standard(s)	UL467
Standards - Industry Standards Met	UL467
Standards - RoHS Compliance Status	CM
UL Listed	Yes

Logistics

Minimum Pack Quantity	1

Product Assets

3D Models - BE12_MODEL-STEP
3D Models - BE12_MODEL-PDF
3D Models - BE12_MODEL-IGES
Catalogs - BURNDY Master Catalog - Section E2 - Mechanical Grounding
Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog
Customer Notices - Prop 65 Notice
Interactive Catalog - BURNDY Full-Line Digital Catalog
Product Cross Section Image(s) - BUR_BD_Lineart
Sales Drawings - SE..210201-01
Specifications - BE12

©2024 Hubbell Incorporated. All rights reserved