



FD655G145, Substation - Copper Stud Connector

By Burndy
Catalog # [FD655G145](#)

Copper Stud Connectors.



Application

Substation

General

| | |
|--------------------------------------|------------------------|
| Connector Type | Stud Connector |
| Material | Copper Alloy |
| Material - Hardware | DURIUM™ Silicon Bronze |
| Physical Attribute - Pad Orientation | In-line |
| Plated | N |
| Plating Type | Unplated |
| Type | Studs |
| UPC | 781810118856 |
| UPC 12 Digit | 7818101188566 |

Dimensions

| | |
|-----------------------------------|----------|
| Dimension - D inch | 3.00 in |
| Dimension - N inch | 0.5 in |
| Dimension - Pad Width inch | 3.00 in |
| Dimension - Pin Diameter fraction | 1-1/8 in |
| Dimension - Pin Diameter inch | 1.125 in |
| Dimension - Threads per inch | 12 |

Conductor Related

| | |
|------------------------------------|-------------|
| Conductor - Connection Combination | Stud to Pad |
|------------------------------------|-------------|

Certifications and Compliance

| | |
|------------------------------------|----|
| Certification - CSA Approved | No |
| Certification - ETL | No |
| Certification - UL Recognized | No |
| Certification - cULus | No |
| Standards - RoHS Compliance Status | EX |
| UL Listed | No |

Logistics

| | |
|-----------------------|---|
| Minimum Pack Quantity | 1 |
|-----------------------|---|

Product Assets

[Customer Notices - Prop 65 Notice](#)



A proud member of the Hubbell Family.

©2023 Hubbell Incorporated. All rights reserved.
BRDY-FD655G145-SPEC-EN | REV 8/2023