


FD66C6TN, Substation - Copper Stud Connector

By Burndy
Catalog # FD66C6TN

Copper Stud Connectors.



Application

Substation

General

Catalog Number FD66C6TN

Connector Type Stud Connector

Material Copper Alloy

Material - Hardware DURIUM™ Silicon Bronze

Physical Attribute - Number of

Holes

Physical Attribute - Pad 3x3 - 4 holes

Configuration

Physical Attribute - Pad In-line

Orientation

Plated Y

Plating Type Tin - Electro Plated

Type Studs

UPC 781810118832 UPC 12 Digit 7818101188322

Dimensions

Dimension - B Length inch1.75 inDimension - Bolt Size fraction3/8Dimension - D inch3.00 inDimension - F Width Center to1.75 in

Center inch

Dimension - L Length Overall 147 mm

mm

Dimension - Length Overall 5.78 in

inch

Dimension - N inch0.62 inDimension - Pad Width inch3.00 inDimension - Pin Diameter1-1/4 in

fraction

Dimension - Pin Diameter inch

Dimension - Thread Size

Dimension - Threads per inch

1.250 in

3/8-12

Conductor Related

Conductor - Connection Stud to Pad

Combination

Certifications And Compliance

Certification - CSA Approved No
Certification - ETL No
Certification - UL Recognized No
Certification - cULus No
Standards - RoHS Compliance EX
Status

Logistics

UL Listed

Minimum Pack Quantity 1

Product Assets

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Customer Notices - Prop 65 Notice

No

Interactive Catalog - BURNDY Full-Line Digital Catalog

Sales Drawings - SD079583 Specifications - FD66C6TN

