

FD705F16, Substation - Copper **Stud Connector**

By Burndy Catalog # FD705F16

Copper Stud Connectors.

Application

Substation

General


Catalog Number FD705F16 Connector Type Stud Connector Material Copper Alloy Material - Hardware Physical Attribute - Number of 6 Holes Physical Attribute - Pad Configuration Physical Attribute - Pad In-line Orientation Plated Ν Plating Type Studs Туре UPC UPC 12 Digit

DURIUM[™] Silicon Bronze 6x4 - 6 holes

Unplated 781810374979 7818103749799

Dimensions

Dimension - B Length inch	2.88 in
Dimension - Bolt Size fraction	5/8
Dimension - D inch	4.00 in
Dimension - L Length Overall	229 mm
mm	
Dimension - Length Overall	9.00 in
inch	
Dimension - N inch	1.13 in



Stud to Pad

Dimension - Pad Width inch	6.00 in
Dimension - Pin Diameter	3-1/4 in
fraction	
Dimension - Pin Diameter inch	3.250 in
Dimension - Thread Size	5/8-12
Dimension - Threads per inch	12

Conductor Related

Conductor - Connection Combination

Certifications And Compliance

Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Standards - RoHS Compliance	ΕX
Status	
UL Listed	No

Logistics

Minimum Pack Quantity 1

Product Assets

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Customer Notices - Prop 65 Notice Interactive Catalog - BURNDY Full-Line Digital Catalog Sales Drawings - SD079583 Specifications - FD705F16

