

# FD70D12TN, Substation - Copper Stud Connector

By Burndy Catalog # FD70D12TN

Copper Stud Connectors.



## **Application**

Substation

#### General

Connector Type Stud Connector
Material Copper Alloy

Material - Hardware DURIUM™ Silicon Bronze

Physical Attribute - Number of 4

Holes

Physical Attribute - Pad 4x4 - 4 holes

Configuration

Physical Attribute - Pad In-line

Orientation

Plated \

Plating Type Tin - Electro Plated

Type Studs

UPC 781810110362 UPC 12 Digit 7818101103622

### **Dimensions**

| Dimension - B Length inch<br>Dimension - Bolt Size fraction<br>Dimension - D inch | 2.88 in<br>5/8<br>4.00 in |
|---|---------------------------|
| Dimension - F Width Center to Center inch   | 1.75 in                   |
| Dimension - L Length Overall mm   | 210 mm                    |
| Dimension - Length Overall inch   | 8.26 in                   |
| Dimension - N inch  | 1.13 in                   |
| Dimension - Pad Width inch  | 4.00 in                   |
| Dimension - Pin Diameter fraction   | 3 in                      |
| Dimension - Pin Diameter inch   | 3.000 in                  |
| Dimension - Thread Size   | 5/8-12                    |
| Dimension - Threads per inch  | 12                        |

#### **Conductor Related**

Conductor - Connection Stud to Pad Combination

## **Certifications and Compliance**

| Certification - CSA Approved  | No |
|-------------------------------|----|
| Certification - ETL           | No |
| Certification - UL Recognized | No |
| Certification - cULus         | No |
| Standards - RoHS Compliance   | EX |
| Status                        |    |
| UL Listed                     | No |
|                               |    |

#### Logistics

Minimum Pack Quantity 1

### **Product Assets**

