

GKA4C, Copper, Direct Burial Ground Terminal

By Burndy Catalog # GKA4C





Features

· Rated for Direct Burial in earth or concrete

• UL467 Listed for the US and Canadian Markets

Application

For Direct Burial Applications In Earth Or Concrete

General

Catalog Number GKA4C
EU RoHS Indicator Yes
Installation Torque 45 LBS/in

Recommended in-lb

Material Copper Alloy
Material Type - Screw Steel - Stainless

Physical Attribute - Screw Type Slot Plated N

Plating Type Unplated

Sub Brand MECHANICAL CONNECTOR

Type GKA

UPC 781810100998 UPC 12 Digit 7818101009988

Dimensions

Dimension - B Length inch 0.46 in Dimension - Height inch 0.71 in Dimension - Hole Size inch 0.28 in Dimension - Hole Size mm 7 mm Dimension - L Length Overall 29 mm mm Dimension - Length Overall 1.13 in inch Dimension - N inch 0.25 in Dimension - Pad Width inch 0.54 in

Conductor Related

Conductor - Copper Solid Size 14 AWG;13 AWG;12 AWG;11

AWG;10 AWG;9 AWG;8 AWG;7

AWG;6 AWG;5 AWG;4 AWG

Conductor - Copper Solid Size 14 AWG-4 AWG

Range

Conductor - Copper Str Size 14 AWG;12 AWG;10 AWG;9

AWG;8 AWG;7 AWG;6 AWG;5

AWG;4 AWG

Conductor - Copper Str Size 14 AWG-4 AWG

Range

Conductor Type • CU C Str-Size

CU C Solid-Size

Certifications And Compliance

Buy American Compliant No
Certification - CSA Approved No
Certification - ETL No
Certification - UL Listed Direct Yes

Burial

Certification - UL Recognized No
Certification - cULus No
Industry Standard(s) UL467
Standards - Industry Standards UL467

Met

Standards - RoHS Compliance CM

Status

UL Listed Yes

Logistics

Minimum Pack Quantity 1

Product Assets

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Catalogs - BURNDY Master Catalog - Section E2 - Mechanical Grounding

Customer Notices - Prop 65 Notice

Interactive Catalog - BURNDY Full-Line Digital Catalog Product Cross Section Image(s) - BUR_GKA_LineArt Sales Drawings - sc209774-01_A

Specifications - GKA4C

