



# HSIC440FR, Heavy Wall Heat Shrinkable End Cap

By Burndy  
Catalog # [HSIC440FR](#)

Black Polyolefin Heavy Wall Heat Shrinkable End Cap, #4 - 4/0(Code) #4 - 2/0(Flex), 600V.



## Application

For Used To Insulating Exposed Conductors In Energized Applications

## General

Color	Black
Connector Type	HEAVY WALL END CAP
EU RoHS Indicator	Yes
Material	Cross-linked Polyolefin
Sub Brand	HEAT SHRINK
Type	HSIC-FR, Heavy Wall, Fire Retardant
UPC	781810266588

## Conductor Related

Conductor Range	#4 AWG to #2/0 AWG
Conductor Size	4AWG - 4/0AWG

## Certifications And Compliance

Certification - CSA Approved	No
Certification - ETL	No
Standards - RoHS Compliance Status	CM

## Logistics

Minimum Pack Quantity	10
-----------------------	----

## Product Assets

- [3D Models - HSIC440FR\\_MODEL-STEP](#)
- [3D Models - HSIC440FR\\_MODEL-PDF](#)
- [3D Models - HSIC440FR\\_MODEL-IGES](#)
- [Catalogs - BURNDY Master Catalog - Section D - Shrink Tubing](#)
- [Catalogs - Full Line BURNDY Catalog](#)
- [Literature - Polyolefin Thin Wall Heat Shrink Cross Reference Guide](#)
- [Product Cross Section Image\(s\) - BUR\\_HSIC10-500FR\\_LineArt](#)
- [Sales Drawings - SC209680-01](#)
- [Video - Heat Shrink Product Overview & Installation](#)



A proud member of the Hubbell Family.

©2024 Hubbell Incorporated. All rights reserved.  
BRDY-HSIC440FR-SPEC-EN | REV 5/2024