



KLU35, Offset Tongue Copper Lug Connector, #14 AWG Sol-6 AWG Str, #10 Stud, 1 Screw

By Burndy
Catalog # KLU35



Copper Terminal, Offset Tongue, 1 Hole, 14 AWG (Sol)-6 AWG (Str), #10 Stud, 1 Screw.

Features

- Range-taking design reduces SKUs required in inventory
- High conductivity copper alloy for long lasting reliable contact
- Compact design, easy to install
- Slot Robertson screw, hex head, hex socket bolt require no special installation tools

Application

For Joining A Wide Range Of Copper Cable To Equipment Pads Or Bar

General

| | |
|---------------------------------------|--------------------------|
| Catalog Number | KLU35 |
| Connector Type | Pressure Bar |
| EU RoHS Indicator | Yes |
| Hardware Type | 1/4 UNF Slotted SetScrew |
| Installation Torque | 35 |
| Recommended in-lb | |
| Material | Copper |
| Physical Attribute - Number of Holes | 1 |
| Physical Attribute - Number of Screws | 1 |
| Physical Attribute - Screw Type | Slot |
| Plated | N |
| Plating Type | Unplated |
| Sub Brand | |
| Trade Name | SCRULUG™ |
| Type | Bolted Lugs & Terminals |
| UPC | 781810351376 |

Dimensions

| | |
|---------------------------------|---------|
| Dimension - B Length fraction | 7/16 in |
| Dimension - B Length inch | 0.43 in |
| Dimension - Bolt Size fraction | #10 |
| Dimension - Hole Size inch | 0.20 in |
| Dimension - Hole Size mm | 5 mm |
| Dimension - L Length Overall mm | 31 mm |
| Dimension - Length Overall inch | 1.24 in |
| Dimension - N inch | 0.22 in |
| Dimension - Pad Width inch | 0.39 in |
| Dimension - Screw Size inch | 1/4 |
| Dimension - Strip Length inch | 5/8 |
| Dimension - Stud Size inch | #10 |

Conductor Related

| | |
|-------------------------------------|---|
| Conductor - Copper Solid Size | 14 AWG;13 AWG;12 AWG;11 AWG;10 AWG;9 AWG;8 AWG;7 AWG;6 AWG |
| Conductor - Copper Solid Size Range | 14 AWG-6 AWG |
| Conductor - Copper Str Size | 14 AWG;12 AWG;10 AWG;9 AWG;8 AWG;7 AWG;6 AWG |
| Conductor - Copper Str Size Range | 14 AWG-6 AWG |
| Conductor Size | 14-6 AWG |
| Conductor Type | <ul style="list-style-type: none">• CU C Solid-Size• CU C Str-Size |

Certifications And Compliance

| | |
|---|-------|
| Buy American Compliant | No |
| Certification - CSA Approved | No |
| Certification - ETL | No |
| Certification - UL Listed Direct Burial | No |
| Certification - UL Recognized | No |
| Certification - cULus | Yes |
| Industry Standard(s) | UL467 |
| Standards - Industry Standards Met | UL467 |
| Standards - RoHS Compliance Status | CM |
| UL Listed | No |

Logistics

| | |
|-----------------------|----|
| Carton Quantity | 25 |
| Minimum Pack Quantity | 1 |

Product Assets

[3D Models - KLU35_MODEL-IGES](#)
[3D Models - KLU35_MODEL-PDF](#)
[3D Models - KLU35_MODEL-STEP](#)
[Catalogs - BURNDY Master Catalog - Section A - Mechanical](#)
[Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog](#)
[Customer Notices - Prop 65 Notice](#)
[Interactive Catalog - BURNDY Full-Line Digital Catalog](#)
[Product Cross Section Image\(s\) - BUR_KLU_LineArt](#)
[Sales Drawings - sd207469-01](#)



A Hubbell brand

©2024 Hubbell Incorporated. All rights reserved
BRDY-KLU35-SPEC-EN | REV 8/2024