

NA132N, Substation - Copper Terminal, 1/2" Cu Pipe, 2-Hole

By Burndy Catalog # NA132N

Copper Bolted Terminal , Tube to Flat , $1\!/2''$ Cu Pipe , 2 Pad Holes , 230 kV.

Application

Substation

General

Catalog Number	NA132N
Clamping Element Design	Body and Cap
Connector Type	Terminal
Material	Copper Alloy
Material - Hardware	DURIUM™ Silicon Bronze
One Wrench Installation	Y
Physical Attribute - Number of	2
Holes	
Physical Attribute - Pad	Offset
Alignment	
Physical Attribute - Pad	1.5 x 3 - 2 holes
Configuration	
Plated	Ν
Plating Type	Unplated
UPC	781810002308
UPC 12 Digit	7818100023088

Dimensions

Dimension - B Length inch	2.00 in
Dimension - D inch	3.00 in
Dimension - F Width Center to	1.75 in
Center inch	
Dimension - Height fraction	1-3/4
Dimension - Height inch	1.75 in
Dimension - Height mm	44.5 mm
Dimension - Hole Size fraction	9/16
Dimension - L Length Overall	133 mm
mm	
Dimension - Length Overall	5.25 in
inch	
Dimension - N inch	0.63 in
Dimension - Pad Width inch	1.50 in



Dimension - Width fraction Dimension - Width inch Dimension - Width mm	2-1/4 in 2.25 in 57 mm
Conductor Related	
Conductor - Connection Combination	Tube to Flat
Conductor - Copper Tube EH Size	1/2 IPS
Conductor - Copper Tube EH Size Range	1/2 IPS
Conductor - Copper Tube Std Size	1/2 IPS
Conductor - Copper Tube Std Size Range	1/2 IPS
Conductor Type	CU Tube Std-SizeCU Tube EH-Size
Number of Conductors	1

Certifications And Compliance

Certification - CSA Approved No Standards - RoHS Compliance EX Status

Logistics

Minimum Pack Quantity 3

Product Assets

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Catalogs - BURNDY Master Catalog - Section L - Bolted Substation Interactive Catalog - BURNDY Full-Line Digital Catalog Product Cross Section Image(s) - BUR_NA132N_LineArt Sales Drawings - sa006759-01 Specifications - NA132N

