

NA15A4NGS, Substation - Aluminum Bolted Terminal

By Burndy
Catalog # [NA15A4NGS](#)

Substation Connectors.



Application

Substation

General

Catalog Number	NA15A4NGS
Clamping Element Design	Body and Cap
Connector Type	Terminal
Installation Torque	480 LBS/in
Recommended in-lb	
Material	Aluminum Alloy
Material - Hardware	Aluminum
One Wrench Installation	Y
Physical Attribute - Number of Holes	4
Physical Attribute - Pad Alignment	Offset
Physical Attribute - Pad Configuration	3 x 3 - 4 holes
Physical Attribute - Pad Orientation	Straight
Plated	N
Plating Type	Unplated
UPC	781810480700
UPC 12 Digit	7818104807000

Dimensions

Dimension - B Length inch	3.50 in
Dimension - D inch	3.00 in
Dimension - F Width Center to Center inch	1.75 in
Dimension - G inch	1.50 in
Dimension - Height inch	3.38 in
Dimension - Hole Size fraction	9/16
Dimension - L Length Overall mm	171 mm
Dimension - Length Overall inch	6.75 in

Dimension - N inch	0.63 in
Dimension - Pad Width inch	3.00 in
Dimension - Width inch	3.06 in
Dimension - Width mm	78 mm

Conductor Related

Conductor - AL Tube Std Size	1 IPS
Conductor - AL Tube Std Size Range	1 IPS
Conductor - Connection Combination	Tube to Flat
Conductor - Copper Tube Std Size	1 IPS IPS
Conductor - Copper Tube Std Size Range	1 IPS IPS
Conductor Type	<ul style="list-style-type: none"> • AL Tube Std-Size • CU Tube Std-Size
Number of Conductors	1

Certifications And Compliance

Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Standards - RoHS Compliance Status	CM
UL Listed	No

Logistics

Minimum Pack Quantity	4
-----------------------	---

Product Assets

- [Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog](#)
- [Customer Notices - Prop 65 Notice](#)
- [Interactive Catalog - BURNDY Full-Line Digital Catalog](#)
- [Sales Drawings - SA038849-01](#)
- [Specifications - NA15A4NGS](#)