

NA19A4NCG4, Substation - Aluminum Bolted Terminal

By Burndy Catalog # NA19A4NCG4

Substation Connectors.



- Type NA-A Aluminum Terminals for Tube to Pad
- Properly proportioned to minimize conductor corrosion due to galvanic action
- When properly used, this item does not require use of bimetallic plates, contact Burndy Technical Support for recommendations
- · One-wrench installation

Application

Substation

General

Catalog Number	NA19A4NCG4
Clamping Element Design	Body and Cap
Connector Type	Terminal
Material	Aluminum Alloy
Material - Hardware	Aluminum
One Wrench Installation	Υ
Physical Attribute - Number of	4
Holes	
Physical Attribute - Pad	Offset
Alignment	
Physical Attribute - Pad	4 holes
Configuration	
Physical Attribute - Pad	Straight
Orientation	
Plated	Ν
Plating Type	Unplated
UPC	621945131293
UPC 12 Digit	6219451312933

Dimensions

Dimension - B Length inch	4.50 in
Dimension - D inch	3.50 in
Dimension - F Width Center to	1.75 in
Center inch	
Dimension - G inch	2.19 in
Dimension - Height inch	4.97 in
Dimension - Height mm	126.2 mm



Dimension - L Length Overall	197 mm
mm	
Dimension - Length Overall	7.75 in
inch	
Dimension - N inch	0.62 in
Dimension - Pad Width inch	3.50 in
Dimension - Width inch	5.00 in
Dimension - Width mm	127 mm

Conductor Related

Conductor - AL Tube Std Size	2 1/2 IPS
Conductor - AL Tube Std Size	2 1/2 IPS
Range	
Conductor - Connection	Tube to Flat
Combination	
Conductor - Copper Tube Std	2 1/2 IPS IPS
Size	
Conductor - Copper Tube Std	2 1/2 IPS IPS
Size Range	
Conductor Type	 AL Tube Std-Size
	 CU Tube Std-Size
Number of Conductors	1

Certifications And Compliance

Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Standards - RoHS Compliance	CM
Status	
UL Listed	No

Logistics

Minimum Pack Quantity

Product Assets

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Customer Notices - Prop 65 Notice Interactive Catalog - BURNDY Full-Line Digital Catalog Sales Drawings - 50004937 Specifications - NA19A4NCG4

