

Substation - Aluminum Bolted T Connector

By Burndy
Catalog # NNT86A18A



Substation Connectors.

Application

Substation

General

Catalog Number	NNT86A18A
Connector Type	T-Connector
Installation Torque	480 LBS/in
Recommended in-lb	
Material	Aluminum Alloy
Material - Hardware	Aluminum
One Wrench Installation	Y
Physical Attribute - Number of Run Conductors	1
Physical Attribute - Number of Tap Conductors	1
Physical Attribute - Pad Orientation	90 Degree
Plated	N
Plating Type	Unplated
Type	Bolted Tees
UPC	781810413265
UPC 12 Digit	7818104132655

Dimensions

Dimension - B Length inch	6.00 in
Dimension - Height inch	8.00 in
Dimension - L Length Overall mm	391 mm
Dimension - Length BB inch	4.25 in
Dimension - Length Overall inch	15.38 in
Dimension - Width inch	4.50 in
Dimension - Width mm	114 mm

Conductor Related

Conductor - AL Tube Std Run	6 IPS
Conductor - AL Tube Std Run Range	6 IPS
Conductor - AL Tube Std Tap	2 IPS
Conductor - AL Tube Std Tap Range	2 IPS
Conductor - Connection Combination	Tube to Tube
Conductor Type	<ul style="list-style-type: none"> • AL Tube Std-Run • AL Tube Std-Tap

Certifications And Compliance

Standards - RoHS Compliance Status	EX
------------------------------------	----

Logistics

Minimum Pack Quantity	1
-----------------------	---

Product Assets

[Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog](#)
[Customer Notices - Prop 65 Notice](#)
[Interactive Catalog - BURNDY Full-Line Digital Catalog](#)
[Sales Drawings - sc064838](#)