

PATRIOT® T3 Technology 15-Ton Battery Crimper, C-Head, Rubber Covered, two 5.0Ah 18V Li-Ion Batteries, 120V-AC Charger, Nylon Pro Bag

By Burndy Catalog # PAT46T3SC05A3





- TRACK crimp locations with onboard GPS BURNDY Exclusive!
- TRACE individual crimps with comments and output force validation
- TRANSMIT via Bluetooth® technology and sync data to the cloud
- C-head with 2" jaw opening with 355° head rotation
- Uses P Dies and U Dies with PUADP1 Adapter
- Bright LED worklight and Red/Green LED to validate output force
- Improved ergonomic design with more balance and better grip to reduce user fatigue
- Accepts 2.0Ah-6.0Ah Makita Lithium-ion Batteries

Application

Crimping

General

Application - For Use On Copper, Aluminum, ACSR
Terminals and Splices
Battery Type 5.0Ah 18V Li-Ion (Accepts
2.0Ah-6.0Ah Makita LI
Batteries)
Catalog Number PAT46T3SC05A3

Catalog Number PA 14613SC05A
Container Type Nylon Pro Bag

Crimp Force Capacity 15 ton

Die Type P Die and U Die with PUADP1

Adapter

Power Source 120V-AC Charger Sub Brand PATRIOT®

Tool Type Battery Actuated Crimper, T3

Technology

Type Crimper UPC 621945625679



Dimensions

Dimensions 18.44 in x 3.26 in x 14.13 in Height 14.13 in

Length 18.44 in Weight 19.45 lb Width 3.26 in

Electrical Ratings

Operating Voltage 18 VDC

Conductor Related

Crimping Ranges Copper: #14 AWG Str. - 1500

kcmil; Aluminum: #8 AWG - 1250 kcmil; Ground Rod: 1/2"-1"

diameter

Logistics

Carton Quantity 1

Package Contents Crimper, (2) Batteries, Charger,

Lanyard, Nylon Pro Bag

Pallet Quantity 1

Product Assets

Brochures - T3 Technology Trifold Brochure

Catalogs - BURNDY Master Catalog - Section N - Tooling

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog

Customer Notices - Prop 65 Notice

Interactive Catalog - BURNDY Full-Line Digital Catalog

Sales Drawings - 50110709

SDS - Burndy BAT18VLI SDS Sheet (2022-02)

Specifications - PAT46T3SC05A3

Video - BURNDY T3 APP Features and Benefits Video - BURNDY T3 APP Install & Register

Video - Introducing the PAT46T3

