

Q3A444N, Three Conductor Four Hole Mounting Heavy Duty Copper Lug Connector, 600-800 kcmil, 1/2" Stud, 1-3/4" Spacing, 3 Screws

By Burndy Catalog # Q3A444N



Features

- QIKLUG[™] Terminals feature compact size, high copper alloy terminal for joining cables to equipment pads or bars
- Each element accommodates a wide range of cable
- · One-wrench installation

General

Catalog Number Q3A444N
Connector Type Tri Clamp
Installation Torque 500 in-lb

Recommended Run in-lb

Installation Torque 500 LBS/in

Recommended in-lb

Material Copper Physical Attribute - Number of 4

Holes

Physical Attribute - Number of 3

Screws

Physical Attribute - Screw Type Hexagonal Bolt

Plated N

Plating Type Unplated
Temperature Rating 194
Trade Name QIKLUG™

Type Bolted Lugs & Terminals

UPC 781810323885 UPC 12 Digit 7818103238855

Dimensions

Dimension - Bolt Size fraction 1/2 Dimension - D inch 3.25 in Dimension - F Width Center to 1.75 in Center inch Dimension - Height fraction 2-3/4 Dimension - Height inch 2.56 in Dimension - Height mm 65 mm Dimension - Hole Size fraction 9/16 Dimension - Hole Size inch 0.56 in Dimension - Hole Size mm 14 mm Dimension - L Length Overall 132 mm

mm



Dimension - Length Overall	5.19 in
inch	
Dimension - N inch	0.63 in
Dimension - Pad Width inch	3.25 in
Dimension - Stud Size inch	1/2
Dimension - Width fraction	6-5/8 in
Dimension - Width inch	5.88 in
Dimension - Width mm	149 mm

Electrical Ratings

Rating - Minimum Voltage 600

Conductor Related

Conductor - Copper Str Size 850 Kcmil;1000 Kcmil Conductor - Copper Str Size 850 Kcmil-1000 Kcmil

Range

Conductor Size 850-1000 kcmil

Conductor Type • CU C Str-Size
• CU C Solid-Size

Certifications And Compliance

Certification - CSA Approved No
Certification - ETL No
Certification - UL Recognized No
Certification - cULus No

Industry Standard(s) UL 486A-486B Standards - Industry Standards UL 486A-486B

Met

Standards - RoHS Compliance EX

Status

UL Listed Yes

Logistics

Minimum Pack Quantity

Product Assets

Catalogs - BURNDY Master Catalog - Section A - Mechanical Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Customer Notices - Prop 65 Notice



©2024 Hubbell Incorporated. All rights reserved BRDY-Q3A444N-SPEC-EN | REV 10/2024