

Q3A484N, Three Conductor Four Hole Mounting Heavy Duty Copper Lug Connector, 1600-2000 kcmil, 1/2" Stud, 1-3/4" Spacing, 3 Screws

By Burndy Catalog # Q3A484N

Cast Cu Alloy QIKLUG Terminals, 3 Cables To Pad/Bar, 4-Nema Holes, 1600 - 2000 kcmil.

Features

- QIKLUG[™] Terminals feature compact size, high copper alloy terminal for joining cables to equipment pads or bars
- Each element accommodates a wide range of cable
- · One-wrench installation

General

Catalog Number Q3A484N Connector Type Tri Clamp Installation Torque 600 in-lb

Recommended Run in-lb

Material Copper

Physical Attribute - Number of

Holes

Physical Attribute - Number of 3

Screws

Physical Attribute - Screw Type Hexagonal Bolt

Plated N

Plating Type Unplated Temperature Rating 194 Trade Name QIKLUG $^{\text{TM}}$

Type Bolted Lugs & Terminals

UPC 781810079812 UPC 12 Digit 7818100798122

Dimensions

Dimension - D inch 3.25 in Dimension - F Width Center to 1.75 in

Center inch

Dimension - Height fraction

Dimension - Height inch

Dimension - Height mm

Dimension - Hole Size inch

Dimension - Hole Size mm

Dimension - L Length Overall

3.25 in

3.27 in

3.28 in

3.29 in

3.20 in

3.20

mm



Dimension - Length Overall 5.88 in inch

Dimension - N inch 0.62 in
Dimension - Pad Width inch 4.00 in
Dimension - Width inch 7.38 in

Electrical Ratings

Rating - Minimum Voltage 600

Conductor Related

Conductor - Copper Str Size 1600 Kcmil;2000 Kcmil Conductor - Copper Str Size 1600 Kcmil-2000 Kcmil

Range

Conductor Type

• CU C Str-Size

• CU C Solid-Size

Certifications And Compliance

Certification - CSA Approved No
Certification - ETL No
Certification - UL Recognized No
Certification - cULus No

Industry Standard(s) UL 486A-486B Standards - Industry Standards UL 486A-486B

Met

Standards - RoHS Compliance CM

Status

UL Listed Yes

Logistics

Minimum Pack Quantity 1

Product Assets

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Customer Notices - Prop 65 Notice Interactive Catalog - BURNDY Full-Line Digital Catalog Sales Drawings - SA006457-01 Specifications - Q3A484N

