

# QA31B, Heavy Duty Copper Lug Connector, 250-350 kcmil, 1/2" Stud, 1 Screw

By Burndy Catalog # QA31B

Copper Terminal, Heavy Duty, 1 Hole, 250-350 kcmil, 1/2" Stud, 1 Screw.



#### **Features**

- QIKLUG<sup>™</sup> Terminals feature compact size, high copper alloy terminal for joining cables to equipment pads or bars
- Each element accommodates a wide range of cable
- · One-wrench installation

# **Application**

For Joining A Wide Range Of Copper Cable To Equipment Pads Or Bars

### General

Connector Type Single Clamp
EU RoHS Indicator Yes
Installation Torque 325 LBS/in
Recommended in-lb
Material Copper
Physical Attribute - Number of 1

Physical Attribute - Number of 1

Screws

Physical Attribute - Screw Hexagonal Bolt

Туре

Plated N
Plating Type Unplated
Sub Brand QIKLUG
Temperature Rating 194
Trade Name QIKLUG™

Type Bolted Lugs & Terminals

UPC 781810315323 UPC 12 Digit 7818103153233

# **Dimensions**

Dimension - Bolt Size fraction 1/2 Dimension - D inch 1.38 in Dimension - Height fraction 1-11/16 1.69 in Dimension - Height inch Dimension - Hole Size fraction 17/32 Dimension - Hole Size inch 0.53 inDimension - Hole Size mm 13 mm Dimension - L Length Overall 59 mm Dimension - Length Overall 2.31 in inch 0.69 in Dimension - N inch Dimension - Pad Width inch 1.19 in

# **Electrical Ratings**

Rating - Minimum Voltage 600

#### Conductor Related

Conductor - Copper Str Navy
Size
Conductor - Copper Str Navy
Size Range
Conductor - Copper Str Size
Conductor - Copper Str Size
Conductor - Copper Str Size
Range
Conductor Size
Conductor Size
Conductor Size
Conductor Type

250 (61) Navy;350 (91) Navy
250 (61) Navy-350 (91) Navy
250 (61) Navy-350 (91) Navy
250 (61) Navy;300 (91)
250 (61) Navy;300 (91)
250 (61) Navy;300 (91)
250 (61) Navy;350 (91) Navy
250 (61) Navy-350 (91) Navy
250 (61) Navy-350

• CU C Str Navy-Size

# **Certifications And Compliance**

Certification - CSA Approved No
Certification - ETL No
Certification - UL Recognized No
Certification - cULus No
Industry Standard(s) UL 48

Industry Standard(s) UL 486A-486B Standards - Industry UL 486A-486B

Standards Met

Standards - RoHS Compliance EX

Status

UL Listed Yes

## Logistics

Minimum Pack Quantity 1

## **Product Assets**

3D Models - QA31B\_MODEL-IGES
3D Models - QA31B\_MODEL-STEP
3D Models - QA31B\_MODEL-PDF
Catalogs - Full Line BURNDY Catalog
Customer Notices - Prop 65 Notice
Product Cross Section Image(s) - BUR QA LineArt

Sales Drawings - sa009047

Sales Drawings - sa008947

Dimension - Stud Size inch

1/2

©2024 Hubbell Incorporated. All rights reserved. BRDY-QA31B-SPEC-EN | REV 5/2024

