



QQA1C2, Twin Clamping Two Hole Mounting Heavy Duty Copper Lug Connector

By Burndy
Catalog # [QQA1C2](#)

Copper Terminal, Heavy Duty, 2 Hole, 4-1 AWG (Str), 5/16" Stud, 7/8" Stud Hole Spacing, 2 Screws.



Features

- QIKLUG™ Terminals feature compact size, high copper alloy terminal for joining cables to equipment pads or bars
- Each element accommodates a wide range of cable
- One-wrench installation

Application

For Copper Cable

General

| | |
|---------------------------------------|-------------------------|
| Catalog Number | QQA1C2 |
| Connector Type | Duel Clamp |
| EU RoHS Indicator | Yes |
| Installation Torque | 150 LBS/in |
| Recommended in-lb | |
| Material | Copper |
| Physical Attribute - Number of Holes | 2 |
| Physical Attribute - Number of Screws | 2 |
| Physical Attribute - Screw Type | Hexagonal Bolt Plated |
| Plating Type | N |
| Plating Type | Unplated |
| Sub Brand | QIKLUG |
| Trade Name | QIKLUG™ |
| Type | Bolted Lugs & Terminals |
| UPC | 781810006092 |

Dimensions

| | |
|---|---------|
| Dimension - Bolt Size fraction | 5/16 |
| Dimension - D inch | 1.56 in |
| Dimension - F Width Center to Center inch | 0.9 |
| Dimension - Height fraction | 1 in |
| Dimension - Height inch | 1.00 in |
| Dimension - Height mm | 25.4 mm |
| Dimension - Hole Size inch | 0.34 in |
| Dimension - Hole Size mm | 9 mm |
| Dimension - L Length Overall mm | 92 mm |

| | |
|---------------------------------|---------|
| Dimension - Length Overall inch | 3.63 in |
| Dimension - N inch | 0.34 in |
| Dimension - Pad Width inch | 0.63 in |

Conductor Related

| | |
|--|--|
| Conductor - Copper Str Navy Size | 40 (19) Navy;50 (19) Navy;60 (37) Navy;75 (37) Navy |
| Conductor - Copper Str Navy Size Range | 40 (19) Navy-75 (37) Navy |
| Conductor - Copper Str Size | 4 AWG;3 AWG;2 AWG;1 AWG |
| Conductor - Copper Str Size Range | 4 AWG-1 AWG |
| Conductor Size | 4-1 AWG |
| Conductor Type | <ul style="list-style-type: none">• CU C Str-Size• CU C Str Navy-Size |

Certifications And Compliance

| | |
|------------------------------------|----------------------|
| Buy American Compliant | Contact Manufacturer |
| Certification - CSA Approved | No |
| Certification - ETL | No |
| Certification - UL Recognized | No |
| Certification - cULus | No |
| Industry Standard(s) | UL 486A-486B |
| Standards - Industry Standards Met | UL 486A-486B |
| Standards - RoHS Compliance Status | EX |
| UL Listed | Yes |

Logistics

| | |
|-----------------------|---|
| Minimum Pack Quantity | 1 |
|-----------------------|---|

Product Assets

[Catalogs - BURNDY Master Catalog - Section A - Mechanical](#)
[Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog](#)
[Customer Notices - Prop 65 Notice](#)
[Interactive Catalog - BURNDY Full-Line Digital Catalog](#)
[Product Cross Section Image\(s\) - BUR_QQA_LineArt](#)
[Sales Drawings - SA..005911-01](#)
[Specifications - QQA1C2](#)

