



QQA312N, Twin Clamping Two Hole Mounting Heavy Duty Copper Lug Connector

By Burndy
Catalog # [QQA312N](#)

Copper Terminal, Heavy Duty, 2 Hole, 250-350 kcmil, 1/2" Stud, 1-3/4" Stud Hole Spacing, 2 Screws.



Features

- QIKLUG™ Terminals feature compact size, high copper alloy terminal for joining cables to equipment pads or bars
- Each element accommodates a wide range of cable
- One-wrench installation

Application

For Copper Cable

General

| | |
|---------------------------------------|-------------------------|
| Catalog Number | QQA312N |
| Connector Type | Duel Clamp |
| EU RoHS Indicator | Yes |
| Installation Torque | 325 LBS/in |
| Recommended in-lb | |
| Material | Copper |
| Physical Attribute - Number of Holes | 2 |
| Physical Attribute - Number of Screws | 2 |
| Physical Attribute - Screw Type | Hexagonal Bolt |
| Plated | N |
| Plating Type | Unplated |
| Sub Brand | QIKLUG |
| Trade Name | QIKLUG™ |
| Type | Bolted Lugs & Terminals |
| UPC | 781810326008 |

Dimensions

| | |
|---|-----------------------|
| Dimension - Bolt Size fraction | 1/2 |
| Dimension - D inch | 3.13 in |
| Dimension - F Width Center to Center inch | 1.75 in |
| Dimension - Height fraction | 1.6896551724137931 in |
| Dimension - Height inch | 1.69 in |
| Dimension - Height mm | 42.9 mm |
| Dimension - Hole Size inch | 0.56 in |
| Dimension - Hole Size mm | 14 mm |
| Dimension - L Length Overall mm | 149 mm |

| | |
|---------------------------------|---------|
| Dimension - Length Overall inch | 5.88 in |
| Dimension - N inch | 0.63 in |
| Dimension - Pad Width inch | 1.19 in |

Conductor Related

| | |
|--|--|
| Conductor - Copper Str Navy Size | 250 (61) Navy;300 (91) Navy;350 (91) Navy |
| Conductor - Copper Str Navy Size Range | 250 (61) Navy-350 (91) Navy |
| Conductor - Copper Str Size | 250 kcmil;300 kcmil;350 kcmil |
| Conductor - Copper Str Size Range | 250 kcmil-350 kcmil |
| Conductor Size | 250-350 kcmil |
| Conductor Type | <ul style="list-style-type: none">• CU C Str-Size• CU C Str Navy-Size |

Certifications And Compliance

| | |
|------------------------------------|----------------------|
| Buy American Compliant | Contact Manufacturer |
| Certification - CSA Approved | No |
| Certification - ETL | No |
| Certification - UL Recognized | No |
| Certification - cULus | No |
| Industry Standard(s) | UL 486A-486B |
| Standards - Industry Standards Met | UL 486A-486B |
| Standards - RoHS Compliance Status | EX |
| UL Listed | Yes |

Logistics

| | |
|-----------------------|---|
| Minimum Pack Quantity | 1 |
|-----------------------|---|

Product Assets

[Catalogs - BURNDY Master Catalog - Section A - Mechanical](#)
[Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog](#)
[Customer Notices - Prop 65 Notice](#)
[Interactive Catalog - BURNDY Full-Line Digital Catalog](#)
[Product Cross Section Image\(s\) - BUR_QQA_LineArt](#)
[Sales Drawings - SA..005911-01](#)
[Specifications - QQA312N](#)

