

TN1410LF, Nylon Locking Fork Terminal For 16 - 14 AWG

By Burndy Catalog # TN1410LF

Nylon Locking Fork Terminal For 16 - 14 AWG.



Features

- Locking fork tongue design allows fast installation screw only has to be loosened for termination
- Internal configuration of the fork prevents the terminal from coming off the screw without applying a pulling force
- Locking fork is made from a copper alloy and permits many installations while maintaining proper spring retention of forks

Application

Power Connector

General

Catalog Number TN1410LF

Connector Type Locking Fork Terminal

EU RoHS Indicator Yes
Insulation Y
Insulation Type Nylon
Material Copper
Physical Attribute - Tongue Fork

Туре

Plated Y

Plating Type Unplated Sub Brand HYDENT Trade Name INSULUG $^{\text{T}}$ TN

UPC 781810524176

Dimensions

Dimension - Bolt Size fraction #8 - #10 Dimension - L Length Overall 24 mm mm 0.95 in Dimension - Length Overall inch Dimension - Pad Width inch 0.32 in Dimension - Strip Length inch 7/32 Dimension - Stud Size inch #8;#10 Dimension - Z (inch) 0.30 in

Conductor Related

Conductor Range #14 AWG to #16 AWG
Conductor Size 16 - 14 AWG
Conductor Type • CU C Solid-Size
• CU C Str-Size

Certifications And Compliance

Buy American Compliant	Yes
Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Standards - RoHS Compliance	CM
Status	
UL Listed	No

Logistics

Carton Quantity 100 Minimum Pack Quantity 100

Product Assets

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Catalogs - BURNDY Master Catalog - Section B - Small Compression

Interactive Catalog - BURNDY Full-Line Digital Catalog Product Cross Section Image(s) - BUR_TN1010LF_LineArt Sales Drawings - 50094177 Specifications - TN1410LF

