

TN148LF, Nylon Locking Fork Terminal For 16 - 14 AWG

By Burndy Catalog # TN148LF

Nylon Locking Fork Terminal For 16 - 14 AWG.



Features

- Locking fork tongue design allows fast installation screw only has to be loosened for termination
- Internal configuration of the fork prevents the terminal from coming off the screw without applying a pulling force
- Locking fork is made from a copper alloy and permits many installations while maintaining proper spring retention of forks

Application

Power Connector

General

Catalog Number TN148LF

Connector Type Locking Fork Terminal EU RoHS Indicator Yes Insulation Y

Insulation Type Nylon

Material Copper

Physical Attribute - Tongue Fork

Туре

Plated Y

Plating Type Unplated
Sub Brand HYDENT
Trade Name INSULUG™
Type TN

UPC 781810524213

Dimensions

Dimension - Bolt Size fraction #6 - #8
Dimension - L Length Overall 24 mm

mm

Dimension - Length Overall 0.95 in

inch

Dimension - Pad Width inch

Dimension - Strip Length inch

Dimension - Stud Size inch

Dimension - Z (inch)

0.30 in

7/32

#6;#8

0.30 in

Conductor Related

Conductor Range #14 AWG to #16 AWG
Conductor Size 16 - 14 AWG
Conductor Type • CU C Solid-Size
• CU C Str-Size

Certifications And Compliance

Buy American Compliant	Yes
Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Standards - RoHS Compliance	СМ
Status	
UL Listed	No

Logistics

Carton Quantity 100 Minimum Pack Quantity 100

Product Assets

Catalogs - BURNDY Master Catalog - Section B - Small Compression

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Interactive Catalog - BURNDY Full-Line Digital Catalog Product Cross Section Image(s) - BUR_TN1010LF_LineArt

Sales Drawings - 50094177 Specifications - TN148LF